| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S130 | 0 | 709/230,238.ccls. and smlc and rrlp | US-PGPUB; USPAT | OR | OFF | 2005/07/18 09:55 |
| S132 | 9 | S131 not nokia.as. | US-PGPUB; USPAT | OR | OFF | 2005/07/18 10:05 |
| S135 | 2 | ("6389008" "6311069").pn. and rr$ | US-PGPUB; USPAT | OR | OFF | 2005/07/18 10:28 |
| S131 | 12 | smlc and rrlp and packet | US-PGPUB; USPAT | OR | OFF | 2005/07/19 10:55 |
| S138 | 1 | "6311069".pn. and (serving with mobile with location with center smlc) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 11:09 |
| S139 | 0 | "6311069".pn. and (serving with mobile with location with center smlc) with rr | US-PGPUB; USPAT | OR | OFF | 2005/07/19 11:10 |
| S141 | 0 | "6311069".pn. and (serving with mobile with location with center smlc) same radio with resource with layer | US-PGPUB; USPAT | OR | OFF | 2005/07/19 13:57 |
| S140 | 0 | "6311069".pn. and (serving with mobile with location with center smlc) same rr | US-PGPUB; USPAT | OR | OFF | 2005/07/19 13:57 |
| S144 | 0 | "6311069".pn. and location same layer with (network "3") same mobile with station | US-PGPUB; USPAT | OR | OFF | 2005/07/19 13:58 |
| S142 | 0 | "6311069".pn. and (serving with mobile with location with center smlc) same layer with (network "3") | US-PGPUB; USPAT | OR | OFF | 2005/07/19 13:58 |
| S143 | 1 | "6311069".pn. and location same layer with (network "3") | US-PGPUB; USPAT | OR | OFF | 2005/07/19 14:50 |
| S145 | 0 | "6311069".pn. and relay$ | US-PGPUB; USPAT | OR | OFF | 2005/07/19 14:51 |
| S147 | 0 | "6311069".pn. and (bss bsc) with forward$3 with (msc location with center) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 14:52 |
| S148 | 1 | "6311069".pn. and (bss bsc) same forward$3 same (msc location with center) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 14:55 |
| S154 | 0 | "6311069".pn. and location with exten$7 | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:22 |
| S149 | 1 | "6311069".pn. and (bss bsc) same (forward$3 transmit$) same (msc location with center) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:22 |

| S13 4 | 2 | (rrc radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:22 |
|---|---|---|---|---|---|---|
| S15 5 | 0 | (rrc radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and location with exten$ | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:23 |
| S15 7 | 0 | (rr radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link with exten$ | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:24 |
| S15 6 | 0 | (rrc radio with resource with (control$4 management)) same (layer near2 ("3" third network ip packet) "third-layer" "layer-3") and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link with exten$ | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:24 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S159 | 0 | (rr radio with resource with (control$4 management)) and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link$3 with exten$ | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:25 |
| S158 | 0 | (rr radio with resource with (control$4 management)) and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and (smlc serving with mobile with locat$3 with center) and link with exten$ | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:25 |
| S162 | 0 | (rr$7 radio with resource) and (smlc serving with mobile with locat$3 with center) and (link$3 with exten$ "llc-le") | USPAT | OR | OFF | 2005/07/19 15:26 |
| S161 | 0 | (rr radio with resource) and (smlc serving with mobile with locat$3 with center) and (link$3 with exten$ "llc-le") | USPAT | OR | OFF | 2005/07/19 15:26 |
| S160 | 0 | (rr radio with resource) and (smlc serving with mobile with locat$3 with center) and link$3 with exten$ | USPAT | OR | OFF | 2005/07/19 15:26 |
| S165 | 142 | logical with link with (exten$5 option$3) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:43 |
| S163 | 1 | (rr$7 radio with resource) and (smlc serving with mobile with locat$3 with center) and (link$3 with exten$ "llc-le") | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:43 |
| S167 | 5 | S165 and (RR radio with resource) not nokia.as. and location | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:55 |
| S170 | 4 | S165 and (RR radio with resource) not nokia.as. and (smlc serving with msc) and (gsm gprs) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:56 |
| S169 | 4 | S165 and (RR radio with resource) not nokia.as. and (smlc serving with msc) | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:56 |
| S168 | 6 | S165 and (RR radio with resource) not nokia.as. and serving with mobile | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:56 |

| S16 6 | 12 | S165 and (RR radio with resource) not nokia.as. | US-PGPUB; USPAT | OR | OFF | 2005/07/19 15:59 |
|---|---|---|---|---|---|---|
| S17 1 | 1 | "6791963".pn. and (exten$ number) with region with header | US-PGPUB; USPAT | OR | OFF | 2005/07/19 16:00 |
| S1 | 139 | (umts or utran) with mobile with locati$ | US-PGPUB; USPAT | OR | ON | 2005/07/19 16:11 |
| S17 6 | 0 | rrlp not nokia.as. and extension and (MAC "layer-2" layer with ("2" link) rlc llc) | USPAT | OR | ON | 2005/07/19 16:16 |
| S17 5 | 0 | rrlp not nokia.as. and extension same (MAC "layer-2" layer with ("2" link) rlc llc) | USPAT | OR | ON | 2005/07/19 16:16 |
| S17 7 | 0 | rrlp not nokia.as. and extension and packet | USPAT | OR | ON | 2005/07/19 16:17 |
| S17 9 | 0 | rrlp not nokia.as. and extension and serving with gprs | USPAT | OR | ON | 2005/07/19 16:42 |
| S17 8 | 0 | rrlp not nokia.as. and extension and sgsn | USPAT | OR | ON | 2005/07/19 16:42 |
| S17 4 | 2 | rrlp not nokia.as. and extension | USPAT | OR | ON | 2005/07/19 16:42 |
| S18 1 | 3 | rrlp not nokia.as. and packet and extension and (serving with gprs sgsn) | US-PGPUB; USPAT | OR | ON | 2005/07/19 16:43 |
| S18 0 | 0 | rrlp not nokia.as. and packet and extension and (serving with gprs sgsn) | USPAT | OR | ON | 2005/07/19 16:43 |
| S18 2 | 0 | "6791963".pn. and (exten$ number) with region with header and extension with region and relay$ | US-PGPUB; USPAT | OR | OFF | 2005/07/19 16:44 |
| S17 2 | 1 | "6791963".pn. and (exten$ number) with region with header and extension with region | US-PGPUB; USPAT | OR | OFF | 2005/07/19 16:44 |
| S18 3 | 1 | "llc-le" | US-PGPUB; USPAT | OR | OFF | 2005/07/19 16:45 |
| S18 4 | 1 | rrlp with (forward$3 transmit$4 relay$3) same (core with network layer with (two "2") sgsn ggsn) not nokia.as. | US-PGPUB; USPAT | OR | ON | 2005/07/19 17:00 |
| S17 3 | 7 | rrlp not nokia.as. | USPAT | OR | ON | 2005/07/19 17:00 |
| S18 7 | 0 | S185 and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") and packet | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 17:01 |

| S186 | 3 | S185 and (@ad<"20000522" @rlad<"20000522" @rlpn<"20000522") and (@ad>"1997522" @rlad>"1997522" @rlpn>"19970522") | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2005/07/19 17:01 |
| S185 | 24 | rrlp not nokia.as. | US-PGPUB; USPAT | OR | ON | 2005/07/19 17:01 |